

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		axle and ((suspension or (shock near3 absorb\$)) and ball and (socket or joint)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:22
L1	652	axle and torsion and ball and socket	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:16
L2	1	l1 and (torsion adj beam)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:17
L3	1	("2005/0099060").URPN.	USPAT	AND	ON	2008/06/04 10:17
L4	220	l1 and ball adj socket	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:18

L5	363	11 and (ball near3 socket)	US- PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:18
L6	102	15 and ball adj joint	US- PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:18
L7	363	14 or 15 or 16	US- PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:19
L8	6	17 and trailing adj (arm or axle)	US- PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:19
L9	12821	axle and ball and (socket or joint)	US- PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:22
L10	87003	19 and suspension or (shock near3 absorb\$)	US- PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:23

L11	3961	l9 and (suspension or (shock near3 absorb\$))	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:23
L12	2474	l11 and (fastener or screw of pin or nut or mount\$) and adjust\$	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:24
L13	1927	l12 and (vehicle or automobile or truck)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:25
L14	344	l13 and torsion	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:25
L15	461	l13 and torsion\$	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:25
L16	90	l13 and trailing adj (arm or axle)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:26

L17	510	116 or 115	US- PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:26
L18	309	117 and ball near2 (socket or joint)	US- PGPUB; USPAT; EPO; JPO	AND	ON	2008/06/04 10:27
L19	1	("2004/0173985").URPN.	USPAT	AND	ON	2008/06/04 10:39
L20	428424	suspension or strut or (shock adj absorber)	USPAT	AND	ON	2008/06/04 10:42
L21	2741	120 and ball near2 socket	USPAT	AND	ON	2008/06/04 12:49
L22	26	121 and (shock adj absorber) near4 (ball or socket)	USPAT	AND	ON	2008/06/04 12:50
L23	2765	(ball near2 socket) near5 (adjust\$ or lock or fastener or screw of tighten or position\$)	USPAT	AND	ON	2008/06/04 12:53
L24	2093	123 and (holes or openings)	USPAT	AND	ON	2008/06/04 12:53

L25	1887	l24 and (housing or bracket or mount\$)	USPAT	AND	ON	2008/06/04 12:54
L26	1444	l25 and (axially or co-axial \$ or coaxial\$ or align\$)	USPAT	AND	ON	2008/06/04 12:55
L27	580	l24 and (holes or openings or fasteners or screws) near4 (axially or co-axial\$ or coaxial\$ or align\$)	USPAT	AND	ON	2008/06/04 12:57
L28	538	l24 and (holes or openings or fasteners or screws) near3 (axially or co-axial\$ or coaxial\$ or align\$)	USPAT	AND	ON	2008/06/04 12:57
L29	445	l24 and (holes or openings or fasteners or screws) near2 (axially or co-axial\$ or coaxial\$ or align\$)	USPAT	AND	ON	2008/06/04 12:57
L30	410	l29 and (housing or bracket or mount\$)	USPAT	AND	ON	2008/06/04 12:58
L31	218	l29 and (housing or bracket or mount\$) near3 (holes or openings or fasteners or screws)	USPAT	AND	ON	2008/06/04 12:59

6/4/08 1:06:54 PM

C:\Documents and Settings\RStorner\My Documents\EAST\Workspaces\messedup.wsp